



## Optimizing spectral electrical impedance tomography technology for improved subsurface characterization

Haoran Wang

Energie & Umwelt / Energy & Environment  
 Band / Volume 624  
 ISBN 978-3-95806-744-8

Forschungszentrum Jülich GmbH  
Institut für Bio- und Geowissenschaften (IBG)  
Agrosphäre (IBG-3)

# **Optimizing spectral electrical impedance tomography technology for improved subsurface characterization**

Haoran Wang

Schriften des Forschungszentrums Jülich  
Reihe Energie & Umwelt / Energy & Environment

Band / Volume 624

---

ISSN 1866-1793

ISBN 978-3-95806-744-8

# Contents

<b>Declaration of authorship</b>	i
<b>Acknowledgements</b>	iii
<b>Abstract</b>	v
<b>Zusammenfassung</b>	ix
<b>Contents</b>	xiii
<b>List of figures</b>	xvii
<b>List of tables</b>	xxi
<b>List of abbreviations</b>	xxiii
<b>List of symbols</b>	xxv
<b>1 Introduction</b>	1
1.1 Motivation . . . . .	1
1.2 Inversion of sEIT measurements . . . . .	3
1.3 Electromagnetic (EM) coupling effects in sEIT . . . . .	5
1.4 Objectives and outline of thesis . . . . .	8
<b>2 Theory and background</b>	11
2.1 Fundamentals of sEIT . . . . .	11
2.1.1 Spectral induced polarization (SIP) measurements . . . . .	11
2.1.2 Spectral electrical impedance tomography (sEIT) . . . . .	14
2.2 Forward modelling . . . . .	17
2.3 Calculation of sensitivity . . . . .	18

2.4	General formulation of the inverse problem . . . . .	19
2.4.1	Basic formulation . . . . .	19
2.4.2	Determination of the regularization parameter . . . . .	21
2.4.3	Line search . . . . .	22
2.4.4	Inversion workflow . . . . .	23
2.4.5	Model appraisal . . . . .	24
2.5	Inversion strategies for EIT measurements . . . . .	25
2.5.1	Direct complex inversion (CVI) . . . . .	26
2.5.2	Two-step real-valued inversion (RVI) . . . . .	26
2.5.3	Alternate inversion (ALT) . . . . .	27
2.6	Field measurements and used EIT instrumentation . . . . .	28
<b>3</b>	<b>Comparison of different inversion strategies for EIT measurements</b>	<b>31</b>
3.1	Introduction . . . . .	31
3.2	Materials and methods . . . . .	32
3.2.1	Improved complex inversion (CVI+) . . . . .	32
3.2.2	Synthetic modelling study . . . . .	34
3.3	Results and discussion . . . . .	35
3.3.1	Results for Model-1 (small phase angle) . . . . .	35
3.3.2	Results for Model-2 (large phase angle) . . . . .	38
3.3.3	Discussion of cross-sensitivity . . . . .	40
3.3.4	Inversion results for field measurements . . . . .	43
3.4	Conclusions . . . . .	46
<b>4</b>	<b>Experimental design to reduce inductive coupling in sEIT measurements</b>	<b>49</b>
4.1	Introduction . . . . .	49
4.2	Materials and methods . . . . .	50
4.2.1	Inductive coupling strength (ICS) . . . . .	50
4.2.2	Cable layouts . . . . .	51
4.2.3	Synthetic modelling experiment . . . . .	53
4.2.4	Analysis of Lozollo dataset . . . . .	54
4.3	Results and discussion . . . . .	55
4.3.1	Evaluation of ICS for fan-shaped layout . . . . .	55
4.3.2	Evaluation of ICS for parallel cable layout . . . . .	60
4.3.3	Synthetic model study . . . . .	65

4.3.4	Field example . . . . .	66
4.4	Conclusions . . . . .	70
<b>5</b>	<b>Reduction of capacitive coupling in broadband sEIT measurements</b>	<b>71</b>
5.1	Introduction . . . . .	71
5.2	Materials and methods . . . . .	72
5.2.1	Conceptual model . . . . .	72
5.2.2	Normalized leakage current and the total capacitance . . . . .	73
5.2.3	Decoupling of capacitive coupling . . . . .	74
5.2.4	Capacitive coupling strength . . . . .	77
5.2.5	Field measurements . . . . .	78
5.3	Results and discussion . . . . .	78
5.3.1	Total capacitance and leakage current . . . . .	78
5.3.2	Evaluation of CCS . . . . .	80
5.3.3	Inversion results of sEIT measurements . . . . .	84
5.4	Conclusions . . . . .	86
<b>6</b>	<b>Conclusions and outlook</b>	<b>89</b>
6.1	Conclusions . . . . .	89
6.2	Outlook . . . . .	93
6.2.1	Inversion . . . . .	93
6.2.2	EM coupling reduction . . . . .	98
<b>References</b>		<b>103</b>

Energie & Umwelt / Energy & Environment  
Band / Volume 624  
ISBN 978-3-95806-744-8

Mitglied der Helmholtz-Gemeinschaft

