



Development of Model-Based Correction Methods for Temperature-Dependent Electromagnetic Induction (EMI) Measurement Errors in Soil Conductivity Estimations

Tazifor Martial Tchantcho Amin

Energie & Umwelt / Energy & Environment

Band / Volume 633

ISBN 978-3-95806-761-5

Forschungszentrum Jülich GmbH
Zentralinstitut für Engineering, Elektronik und Analytik (ZEA)
Systeme der Elektronik (ZEA-2)

Development of Model-Based Correction Methods for Temperature-Dependent Electromagnetic Induction (EMI) Measurement Errors in Soil Conductivity Estimations

Tazifor Martial Tchantcho Amin

Schriften des Forschungszentrums Jülich
Reihe Energie & Umwelt / Energy & Environment

Band / Volume 633

ISSN 1866-1793

ISBN 978-3-95806-761-5

Contents

Acknowledgments	i
Abstract	iii
Zusammenfassung	v
List of publications	vii
List of Figures	xii
List of Tables	xv
List of Symbols	xvii
1. Introduction	1
1.1. Background and Motivation	1
1.2. Brief Overview of Commercial EMI Devices	3
1.3. Static Drift Correction of EMI Data	4
1.4. Objectives and Outline	7
2. Fundamentals	11
2.1. Principle of EMI	11
2.2. Sensitivity of Common Coil Configurations	13
2.3. Local-Sensitivity Model	15
2.4. EC _a Calculation	18
3. Theory on Modelling and Optimization of EMI Data	19
3.1. The Nelder-Mead Algorithm	19
3.2. Shuffled Complex Evolution (SCE) Algorithm	22
3.3. Infinite Impulse Response Filter	26
3.4. Phase Value Calculation and Correction	28
3.5. Principal Component Analysis	30
4. Uniform Temperature Drift Correction	33
4.1. Materials and Method	33
4.1.1. EMI Measurement System with Temperature Sensors	33
4.1.2. Temperature Drift	37
4.1.3. Phase Drift Model	39

4.1.4.	Effective Temperature Variation	40
4.1.5.	Drift Calibration Measurements	40
4.1.6.	Effect of Soil Conductivity Changes on the Calibration	42
4.2.	Results and Discussions	43
4.2.1.	Measured Temperature Distribution	43
4.2.2.	Performance of Calibration	44
4.2.3.	Advantage of Implementing the LPF in the Drift Correction Model	47
4.2.4.	Effect of Soil Conductivity Changes on the Calibration	51
5.	Non-uniform Temperature Drift Correction	53
5.1.	Materials and Method	53
5.1.1.	Measurement System	53
5.1.2.	Drift Correction Model	55
5.1.3.	Selection of Temperature Sensors	56
5.1.4.	Assessment of Spatial Temperature Variation	57
5.1.5.	Determination of the Representative Calibration Parameters	58
5.2.	Results and Discussion	60
5.2.1.	Selection of Temperature Sensors	60
5.2.2.	Assessment of Spatial Temperature Variation	61
5.2.3.	Estimation of Calibration Parameter Boundaries	62
5.2.4.	Determination of the Representative Calibration Parameters	63
6.	Conclusions and Outlook	73
6.1.	Uniform Temperature Distributions	73
6.2.	Non-uniform Temperature Distributions	74
6.3.	Outlook	75
	Bibliography	77
	A. Overview of the Maxwell's Equations	89
	B. Static and Dynamic Drift Correction	91
	C. Data Optimisation and Parameter Calculation	95
	Curriculum Vitae	99

Energie & Umwelt / Energy & Environment
Band / Volume 633
ISBN 978-3-95806-761-5