



Insights into Mechanisms of Secondary Organic Aerosol Formation: Approaching Atmospherically Relevant Conditions in an Atmospheric Reaction Chamber

Yarê Baker

Energie & Umwelt / Energy & Environment
Band / Volume 639
ISBN 978-3-95806-776-9

Forschungszentrum Jülich GmbH
Institute of Climate and Energy Systems (ICE)
Troposphäre (ICE-3)

Insights into Mechanisms of Secondary Organic Aerosol Formation: Approaching Atmospherically Relevant Conditions in an Atmospheric Reaction Chamber

Yarê Baker

Schriften des Forschungszentrums Jülich
Reihe Energie & Umwelt / Energy & Environment

Band / Volume 639

ISSN 1866-1793

ISBN 978-3-95806-776-9

Table of Contents

1. Introduction	1
1.1 Atmospheric oxidation of volatile organic compounds and secondary organic aerosol formation	1
1.2 Objective.....	3
2. Theoretical Background.....	7
2.1 Generic α -pinene HOM peroxy radical chemistry	7
2.1.1 <i>Reaction pathways of HOM-RO₂ with RO₂ and HO₂</i>	9
2.1.2 <i>Reaction pathways of HOM-RO₂ with NO_x</i>	11
2.1.3 <i>Reaction pathways of HOM alkoxy radicals</i>	12
2.2 Oxidation product gas-to-particle partitioning	13
3. Methods and Experiments	15
3.1 Chemical Ionization Mass Spectrometry	15
3.1.1 <i>Atmospheric Pressure Interface Time of Flight Mass Spectrometer</i>	15
3.1.2 <i>Multi-scheme chemical ionization inlet</i>	16
3.1.3 <i>General procedure for data analysis</i>	18
3.1.4 <i>Determination of oxidized compounds and HO₂ with MION-CIMS</i>	20
3.1.5 <i>Derivation of condensable HOM mass proxy in the gas-phase from CIMS-measurement</i> ..	21
3.2 Atmospheric reaction chamber SAPHIR-STAR.....	22
3.2.1 <i>Instrumentation</i>	24
3.2.2 <i>OH concentration and α-pinene OH turnover</i>	25
3.2.3 <i>Experimental conditions</i>	27
3.2.4 <i>Experimental procedure</i>	28
3.2.5 <i>Box model calculations for RO₂ sink estimation</i>	30
4. Results and Discussion.....	33
4.1 Impact of high HO ₂	33
4.1.1 <i>Impact of HO₂ on overall HOM formation</i>	35
4.1.2 <i>Impact of HO₂ on the HOM-RO₂ concentration</i>	37
4.1.3 <i>C₁₀-HOM-RO₂ chemistry: Importance of C₁₀H₁₅O_x and C₁₀H₁₇O_x families</i>	39
4.1.4 <i>Impact of HO₂ on HOM alkoxy radical formation</i>	40
4.1.5 <i>Impact on carbonyl and hydroperoxide formation</i>	43
4.1.6 <i>Impact of HO₂ on condensable organic mass</i>	45
4.1.7 <i>Summary: Impact of HO₂</i>	48
4.2 Impact of NO	50
4.2.1 <i>Impact on overall HOM formation</i>	51
4.2.2 <i>Impact of NO on the HOM-RO₂ concentration</i>	52
4.2.3 <i>C₁₀-HOM-RO₂ chemistry: Importance of C₁₀H₁₅O_x and C₁₀H₁₇O_x families</i>	54
4.2.4 <i>Importance of HOM alkoxy chemistry in the system with NO</i>	58
4.2.5 <i>Formation of HOM organic nitrates</i>	60

VIII | Table of Contents

4.2.6	<i>Impact of NO on condensable organic mass</i>	63
4.2.7	<i>Summary: Impact of NO</i>	68
4.3	Combination of NO and high HO ₂	69
4.3.1	<i>Reduction of HOM formation in the system with NO and high HO₂.....</i>	70
4.3.2	<i>Impact of NO and high HO₂ on the HOM-RO₂ concentration.....</i>	72
4.3.3	<i>C₁₀-HOM-RO₂ chemistry: Importance of C₁₀H₁₅O_x and C₁₀H₁₇O_x families.....</i>	73
4.3.4	<i>Competition for termination group formation in the system with NO and high HO₂.....</i>	75
4.3.5	<i>Changes in HOM alkoxy radical chemistry in the system with NO and high HO₂.....</i>	79
4.3.6	<i>Impact of combined NO and high HO₂ on condensable organic mass</i>	82
4.3.7	<i>Summary: Impact of NO and high HO₂ in combination.....</i>	87
5.	Summary and conclusion	89
5.1	Impact of HO ₂ and NO on HOM formation chemistry	90
5.2	Impact of changed HOM formation chemistry on SOA formation	91
6.	References.....	93
A.	Appendix	101
A.1	Exemplary RO ₂ sink distributions in the atmosphere	101
A.2	Voltage and flow settings of MION-APi-TOF	102
A.3	Overview of experimental OH concentrations and α -pinene OH turnover	104
A.4	Modeling of experiments	105
A.4.1	<i>Box model input parameters: Wall loss and OH background reactivity</i>	105
A.4.2	<i>Box model results: HO₂, RO₂, NO and pinonaldehyde</i>	107
A.5	Error propagation.....	108
A.6	Peaklists	109
A.6.1	<i>α-Pinene + OH in the base and high HO₂ case</i>	109
A.6.2	<i>α-Pinene + OH at low and high HO₂ with NO in the system</i>	110
A.7	Exemplary reported HO ₂ /RO ₂ ratios from field studies.....	112
A.8	Estimation of change in peroxy radical steady state concentration between different chemical regimes.....	113
A.8.1	<i>Estimation for high HO₂ case in comparison to base case</i>	113
A.8.2	<i>Estimation for system with NO in comparison to base case</i>	113
A.9	Particular phase measurements and wall loss corrected SOA yield	114
A.10	Supplemental information for experiments with NO addition	115
A.10.1	<i>C₁₀-HOM-RO₂ family observations in experiments with NO addition</i>	115
A.10.2	<i>Relative changes in the HOM-Mon families in experiments with NO addition</i>	116
A.10.3	<i>Contributions in the HOM-Frag product class in experiments with NO addition</i>	116
A.10.4	<i>Investigation of oxidation degree in experiments with NO addition</i>	117
A.10.5	<i>Information about additional "low NO" steady state</i>	118
A.10.6	<i>Gas-phase fraction remaining in presence of seed for the middle NO case.....</i>	119
A.11	Supplemental information for experiments with NO and HO ₂ addition.....	120

A.11.1	<i>Overview of contributions of product classes, groups, and families in the high NO, high HO₂ case</i>	120
A.11.2	<i>Information about additional “in-between NO” steady state</i>	120
A.11.3	<i>C₁₀H₁₆O₂ (formula composition of pinonaldehyde) signal in the system with NO and HO₂ in comparison to the base case</i>	121
A.11.4	<i>Investigation of oxidation degree in experiments with NO and HO₂ addition</i>	121
A.11.5	<i>Relative change in HOM-Frag groups compared to base case for middle NO, high HO₂ and high NO, high HO₂ system</i>	122
A.11.6	<i>Fraction remaining with seed in ON and non-ON product classes in system with just NO in comparison to system with NO and high HO₂</i>	122

Energie & Umwelt / Energy & Environment
Band / Volume 639
ISBN 978-3-95806-776-9

Mitglied der Helmholtz-Gemeinschaft

