




Innovative Plasma Sprayed Thermal Barrier Coatings for Enhanced Flexibility in Gas Turbine Operation

Jens Igel

Energie & Umwelt / Energy & Environment

Band / Volume 665

ISBN 978-3-95806-827-8

Forschungszentrum Jülich GmbH
Institute of Energy Materials and Devices (IMD)
Werkstoffsynthese und Herstellungsverfahren (IMD-2)

Innovative Plasma Sprayed Thermal Barrier Coatings for Enhanced Flexibility in Gas Turbine Operation

Jens Igel

Schriften des Forschungszentrums Jülich
Reihe Energie & Umwelt / Energy & Environment

Band / Volume 665

ISSN 1866-1793

ISBN 978-3-95806-827-8

Contents

Abbreviations and Symbols	V
1 Motivation and Scientific Objectives	1
2 State of the Art	5
2.1 Gas Turbines	5
2.2 Thermal Barrier Coatings	7
2.2.1 Superalloys used in Turbine Engine Parts	10
2.2.2 Metallic Bond Coats	11
2.2.3 Thermally Grown Oxides	13
2.2.4 Yttria Stabilized Zirconia Top Coats	15
2.2.5 Alternative Top Coat Materials	19
2.3 Failure Mechanisms of Thermal Barrier Coatings	21
2.3.1 Thermal Expansion Mismatch	21
2.3.2 TGO Growth	23
2.3.3 Phase Transformation	25
2.3.4 Sintering	27
2.3.5 Erosion	28
2.3.6 Hot Gas Corrosion and CMAS attack	28
2.4 Plasma Spraying of Ceramic Top Coats	29
2.4.1 Atmospheric Plasma Spraying	30
2.4.2 Suspension Plasma Spraying	35
2.4.3 Plasma Spray-Physical Vapor Deposition	36
3 Materials and Coating Facilities	39
3.1 Materials	39
3.1.1 Substrates	39
3.1.2 Bond Coats	39
3.1.3 Top Coats	41
3.2 Sample Geometries	44
3.3 Production of Metallic Bond Coats	45
3.3.1 Vacuum Plasma Spraying (VPS)	45
3.3.2 High Velocity Oxygen Fuel Spraying (HVOF)	47
3.4 Production of Ceramic Top Coats	49
3.4.1 Atmospheric Plasma Spraying (APS)	49
3.4.2 Suspension Plasma Spraying (SPS)	51
3.4.3 Plasma Spray-Physical Vapor Deposition (PS-PVD)	51
4 Characterisation Methods	53
4.1 Powder and Suspension Characterization	53
4.1.1 Laser Diffraction - Particle Size Distribution (PSD)	53
4.1.2 Viscosity and Surface Tension of Suspensions	53

4.2	Process Efficiency	54
4.3	Microstructure Analysis	54
4.3.1	Scanning Electron Microscopy	55
4.3.2	Image Analysis	55
4.3.3	Confocal Laser Microscopy	56
4.3.4	Confocal White Light Topography	56
4.4	Phase Analysis	56
4.4.1	X-Ray Diffraction	56
4.4.2	Raman Spectroscopy	57
4.5	Investigation of Mechanical Properties	57
4.5.1	Indentation Tests	57
4.5.2	Three-Point Bending Tests	58
4.5.3	Erosion Tests	59
4.5.4	LASAT Tests	60
4.6	Thermal Cycling Tests	65
4.6.1	Burner Rig Testing	65
4.6.2	Furnace Cycling	67
4.7	Digital Image Correlation during Burner Rig Testing	67
4.7.1	DIC Basics	68
4.7.2	DIC Hardware Setup and Image Processing	69
5	Investigation of Optimized Bond Coat Systems	73
5.1	Microstructure Analysis of Different Bond Coats	73
5.2	Thermal Cycling Lifetime of Different Bond Coats	80
6	Investigation of Optimized Top Coat Systems	87
6.1	Microstructure Analysis of As-sprayed Coatings and their Optimization . .	87
6.1.1	Reference/Standard APS Top Coat	87
6.1.2	Optimized highly porous APS Top Coat	88
6.1.3	Segmented APS Top Coat (DVC)	92
6.1.4	Optimized Suspension Plasma Sprayed Top Coat	94
6.1.5	Plasma-Spray - Physical Vapor Deposition Top Coat	97
6.1.6	Comparison of YSZ Coatings Tested in Burner Rigs	97
6.1.7	Alternative Top Coat Material Gadolinium Zirconate	101
6.2	Thermal Cycling Lifetime of Different Top Coats	105
6.2.1	Burner Rig Testing Results	106
6.2.2	Furnace Cycling Tests of Alternative Top Coat Material	117
6.3	Digital Image Correlation Results	126
6.3.1	Optimization of Image Acquisition	126
6.3.2	Strain Analysis on Different Coating Systems	131
6.4	Laser Shock Adhesion Testing (LASAT)	137
6.4.1	Pre-tests and systematic study of APS cycling samples	137
6.4.2	Systematic study of LASAT on different coating microstructures . .	141
7	Summary and Outlook	149

Bibliography	VI
List of Figures	XXVI
List of Tables	XXXII

Energie & Umwelt / Energy & Environment
Band / Volume 665
ISBN 978-3-95806-827-8